## Design of Tunable Metamaterial Operating Near 90 GHz

K. Tarnowski<sup>1</sup>, Wlodzimierz Salejda<sup>1</sup>

## **Abstract**

Currently there is much interest in electromagnetic metamaterials [1-9]. In our work we have focused on design of tunable metamaterial which can be made within available technology. In proposed design we use metallic split-ring resonators and thin-wires (Figure 1). Moreover we have decided to introduce nematic liquid crystal layer in design to obtain tunability (Figure 2). One can control propagation of electromagnetic waves by changing orientation of liquid crystal molecules. We have used COMSOL Multiphysics to validate our design with electromagnetic simulations where scattering parameters (elements of scattering matrix) have been computed. Afterwards we have retrieved effective refractive index, permittivity and permeability. Obtained results allow us to state that proposed metamaterial can be applied in construction of phase-shifter operating near 90 GHz. We have confirmed high tunability of proposed design. Relative change of real part of effective refractive index was about 67%, and relative shift of minimum of real part of refractive index was about 1.8%. We have recommended final structure to practical realization. We believe that our work could be used to further optimization of electromagnetic devices (phase-shifters, filters etc.).

<sup>&</sup>lt;sup>1</sup>Institute of Physics, Wroclaw University of Technology, Wroclaw, Poland

## Reference

- [1] G. Eleftheriades, K.G. Balmain, Negative-refraction metamaterials: fundamental principles and applications, John Wiley & Sons, Hoboken 2005.
- [2] N. Engheta, R. Ziolkowski, Metamaterials: physics and engineering explorations, IEEE Press: Wiley-Interscience, Hoboken 2006.
- [3] Ch. Caloz, T. Itoh, Electromagnetic metamaterials: transmission line theory and microwave applications: the engineering approach, John Wiley & Sons, Hoboken 2006.
- [4] R. Marqués et al., Metamaterials with negative parameter: theory, design and microwave applications, John Wiley & Sons, Hoboken 2008.
- [5] L. Solymar, E. Shamonina, Waves in metamaterials, Oxford; New York: Oxford University Press, 2009.
- [6] T.J. Cui et al., Metamaterials: theory, design, and applications, New York, Springer, 2010.
- [7] W. Cai, V. Šalaev, Optical metamaterials: fundamentals and applications, New York, Springer, 2010.
- [8] R. Liu et al., "Description and explanation of electromagnetic behaviors in artificial metamaterials based on effective medium theory", Physical Review E, vol. 76, 026606 (2007).

## Figures used in the abstract




Figure 1: Metallic elements of presented design of metamaterial cell.




Figure 2: Liquid crystal layer introduced to presented design to obtain tunability.